

FGF-4 (Fibroblast growth factor-4), Human

Cat.no.	Product size
RA-FG401	25μg
RA-FG402	100μg

Storage: Lyophilized protein should be stored at -20°C. Upon reconstitution, protein aliquots should be stored at -20°C or -80°C. The protein was lyophilized from a solution containing 0.1% sarkosyl in 1XPBS, pH 8.0. Please use finished within one month after protein reconstitution.

Sequence:

MGLECDGKVNICCKKQFFVSFKDIGWNDWIIAPSGYHANYCEGECPSHIAGTSGSSLSFHSTVINHYRMRGHSPFAN LKSCCVPTKLRPMSMLYYDDGQNIIKKDIQNMIVEECGCS with polyhistidine tag at the C-terminus

Source: Escherichia coli


Purity: >98% as determined by SDS-PAGE. Ni-NTA chromatography

Endotoxin Test: <0.1 EU/μg by LAL method

Bioactivity (ED50): 2.452 ng/mL measured by its ability to induce 3T3 cells proliferation.

Suggested application: It is recommended to reconstitute the lyophilized protein in sterile H_2O to a concentration not less than 100 μ g/mL and incubate the stock solution for at least 20 min to ensure sufficient re-dissolved.

SDS-PAGE analysis of recombinant human FGF-4



The product is for research only, not for diagnostic and clinical use.