

## **Annexin V, Human**

| Cat.no.  | Product size |
|----------|--------------|
| RA-FF201 | 50 μg        |
| RA-FF202 | 100µg        |

**Storage:** Lyophilized protein should be stored at -20°C. Upon reconstitution, protein aliquots should be stored at -20°C or -80°C. The protein was lyophilized from a solution containing 1XPBS, pH7.4. Please use finished within one month after protein reconstitution.

## Sequence:

MAQVLRGTVTDFPGFDERADAETLRKAMKGLGTDEESILTLLTSRSNAQRQEISAAFKTLFGRDLLDDLKSELTGKFE KLIVALMKPSRLYDAYELKHALKGAGTNEKVLTEIIASRTPEELRAIKQVYEEEYGSSLEDDVVGDTSGYYQRMLVVLL QANRDPDAGIDEAQVEQDAQALFQAGELKWGTDEEKFITIFGTRSVSHLRKVFDKYMTISGFQIEETIDRETSGNLE QLLLAVVKSIRSIPAYLAETLYYAMKGAGTDDHTLIRVMVSRSEIDLFNIRKEFRKNFATSLYSMIKGDTSGDYKKALLLL CGEDD with polyhistidine tag at the C-terminus


**Source:** Escherichia coli

Purity: >98% as determined by SDS-PAGE. Ni-NTA chromatography

Endotoxin Test: <0.1 EU/μg by LAL method

Suggested application: It is recommended to reconstitute the lyophilized protein in sterile H2O to a concentration not less than 100  $\mu g/mL$  and incubate the stock solution for at least 20 min to ensure sufficient re-dissolved.

## SDS-PAGE analysis of recombinant human Annexin V



The product is for research only, not for diagnostic and clinical use.